

according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Registration number (REACH)

A38 Synthetic Wax

Not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle wax

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States

telephone 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com website bbblending.com

e-mail (competent person) Btirrell@bbblending.com

(Beth Tirrell)

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
3.4\$	Skin sensitisation	1	Skin Sens. 1	H317
3.7	Reproductive toxicity	2	Repr. 2	H361f
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses. The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

Additional information

Containing a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

United Kingdom Page 1 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Pictograms

GHS07, GHS08,

GHS09





Hazard statements

H317 May cause an allergic skin reaction.H361f Suspected of damaging fertility.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous ingredients for labelling

Octamethylcyclotetrasiloxane CMIT/MIT mixture substance

2.3 Other hazards

This material is combustible, but will not ignite readily. Special danger of slipping by leaking/spilling product.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Distillates (petroleum), hydro- treated light	CAS No 64742-47-8	3-<12	Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	GHS-HC
	EC No 920-901-0 927-676-8			
China Clay, calcined	CAS No 66402-68-4	3-<12	Acute Tox. 4 / H332	
	EC No 266-340-9			
odorless mineral spirits	CAS No 64742-48-9	3-<12	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 STOT SE 3 / H336	
	EC No 265-150-3		Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
octamethylcyclotetrasiloxane	CAS No 556-67-2	3-<12	Flam. Liq. 3 / H226 Repr. 2 / H361f Aquatic Chronic 4 / H413	PBT vPvB
	EC No 209-136-7		Aquatic Official 47 (1413	
decamethylcyclopentasilox- ane	CAS No 541-02-6	1-<3	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	PBT vPvB
	EC No 208-764-9			

United Kingdom Page 2 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Hazardous ingredients acc. to GHS							
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes			
N,N-bis(2-Hydroxyethyl)ole- amide	CAS No 93-83-4 EC No 700-972-2	1-<3	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Chronic 2 / H411				
CMIT/MIT mixture substance	CAS No 55965-84-9 EC No 911-418-6	<0.1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	GHS-HC			

Notes

GHS-HC:Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annay VI)

PBT: The substance was identified as a PBT (persistent, bioaccumulative and toxic) vPvB: The substance was identified as a vPvB (very persistent and very bioaccumulative)

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom Page 3 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. BC-powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 **Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). collect spillage sawdust kieselgur (diatomite)

sand

universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Page 4/16 United Kingdom



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

Frost.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
China Clay, calcined	66402-68-4	DNEL	15.63 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	DNEL	73.44 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	DNEL	4.16 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United Kingdom Page 5 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time		
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	DNEL	31.2 μg/cm ²	human, dermal	worker (industry)	chronic - local ef- fects		

Relevant PNECs of components of the mixture Name of sub-**CAS No Threshold** Organism **Exposure time** End-**Environment**al compart-ment stance point level octamethylcyclotet-556-67-2 **PNEC** $10 \frac{\text{mg}}{\text{l}}$ microorganisms sewage treatment short-term (single rasiloxane plant (STP) instance) short-term (single octamethylcyclotet-556-67-2 **PNEC** $0.059 \frac{mg}{ka}$ pelagic organisms sediments rasiloxane instance) octamethylcyclotet-556-67-2 **PNEC** $1.7 \frac{mg}{kg}$ (top) predators water short-term (single rasiloxane instance) octamethylcyclotet-556-67-2 **PNEC** $0.44 \, \mu g/I$ aquatic organisms freshwater short-term (single rasilóxane instance) octamethylcyclotet-**PNEC** $0.044 \, \mu g/I$ short-term (single 556-67-2 aquatic organisms marine water rasiloxane instance) octamethylcyclotet-556-67-2 **PNEC** 10 mg/ı aquatic organisms sewage treatment short-term (single rasiloxane plant (STP) instance) $3 \frac{mg}{kg}$ octamethylcyclotet-556-67-2 **PNEC** aquatic organisms freshwater sedishort-term (single rasiloxane instance) ment $0.3 \frac{\text{mg}}{\text{kg}}$ octamethylcyclotet-556-67-2 **PNEC** marine sediment short-term (single aquatic organisms rasiloxane instance) $0.59 \frac{mg}{kg}$ octamethylcyclotet-556-67-2 **PNEC** benthic organisms sediments short-term (single rasiloxane instance) $0.16 \frac{mg}{kg}$ octamethylcyclotet-556-67-2 **PNEC** terrestrial organisms soil short-term (single rasiloxane instance) 10 mg/_I decamethylcyclo-541-02-6 **PNEC** sewage treatment short-term (single microorganisms pentasiloxane plant (STP) instance) $11 \frac{\text{mg}}{\text{kg}}$ decamethylcyclo-541-02-6 **PNEC** benthic organisms sediments short-term (single pentasiloxane instance) $13 \frac{\text{mg}}{\text{kg}}$ short-term (single decamethylcyclo-541-02-6 **PNEC** (top) predators water pentasiloxane instance) $1.1 \frac{\text{mg}}{\text{kg}}$ decamethylcyclo-541-02-6 **PNEC** short-term (single pelagic organisms sediments pentasiloxane instance) decamethylcyclo-541-02-6 **PNEC** $1.2 \,^{\mu g}/_{l}$ aquatic organisms freshwater short-term (single pentasiloxane instance) $0.12 \, \mu g/_{1}$ short-term (single decamethylcyclo-541-02-6 **PNEC** aquatic organisms marine water pentasilóxane instance) $10 \, \frac{mg}{I}$ short-term (single decamethylcyclo-541-02-6 **PNEC** sewage treatment aquatic organisms pentasiloxane plant (STP) instance) $11 \frac{mg}{kg}$ decamethylcyclo-541-02-6 **PNEC** aquatic organisms freshwater sedishort-term (single pentasiloxane instance) ment $1.1 \, {\text{mg}}/{\text{kg}}$ decamethylcyclo-541-02-6 **PNEC** aquatic organisms marine sediment short-term (single pentasiloxane instance)

United Kingdom Page 6 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

instance)

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environment- al compart- ment	Exposure time		
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.27 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	PNEC	0.007 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)		
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	PNEC	0.001 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)		
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	PNEC	830 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	PNEC	1.227 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)		
N,N-bis(2-Hy- droxyethyl)oleamide	93-83-4	PNEC	0.123 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
N,N-bis(2-Hy-	93-83-4	PNEC	0.241 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single		

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

droxyethyl)oleamide

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

United Kingdom Page 7 /16



9.2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation, 2018-10-26

n number GHS 1.0.	Date of compilation. 2018-10-26.
Physical state	Liquid Viscous
Colour	Pale blue
Odour	Bubble gum
Other safety parameters	
PH (value)	Not determined
Melting point/freezing point	Not determined
Initial boiling point and boiling range	100 °C
Flash point	64 °C at 101.3 kPa 147 °F at 101.3 kPa
Evaporation rate	Not determined
Flammability (solid, gas)	Not relevant Fluid
Explosive limits	
Lower explosion limit (LEL)	0.6 vol%
Upper explosion limit (UEL)	5.4 vol%
Vapour pressure	31.69 hPa at 25 °C
Density	1.001 ^g / _{ml}
Vapour density	This information is not available
Solubility(ies)	Not determined
Partition coefficient	
- n-octanol/water (log KOW)	This information is not available
Auto-ignition temperature	215 °C Auto-ignition temperature (liquids and gases)
	645.2 K Relative self-ignition temperature for solids
Viscosity	
Kinematic viscosity	6,000 cSt at 25 °C
Explosive properties	None
Oxidising properties	None
Other information	
Temperature class (EU, acc. to ATEX)	T3 Maximum permissible surface temperature on the equipment: 200 °C

United Kingdom Page 8 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
China Clay, calcined	66402-68-4	inhalation: dust/mist	2.3 ^{mg} / _l /4h
CMIT/MIT mixture substance	55965-84-9	oral	100 ^{mg} / _{kg}
CMIT/MIT mixture substance	55965-84-9	dermal	300 ^{mg} / _{kg}
CMIT/MIT mixture substance	55965-84-9	inhalation: vapour	3 ^{mg} / _l /4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging fertility.

United Kingdom Page 9 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LL50	5 ^{mg} / _l	fish	96 h
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	1.4 ^{mg} / _I	aquatic invertebrates	48 h
octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 ^{µg} / _l	fish	96 h
octamethylcyclotet- rasiloxane	556-67-2	EC50	>1,000 ^{mg} / _I	aquatic invertebrates	96 h
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 ^{µg} / _I	fish	96 h
decamethylcyclopentas- iloxane	541-02-6	EC50	>2.9 ^{µg} / _I	aquatic invertebrates	48 h
N,N-bis(2- Hydroxyethyl)oleamide	93-83-4	LC50	5.1 ^{mg} / _l	fish	96 h
N,N-bis(2- Hydroxyethyl)oleamide	93-83-4	EC50	3.2 ^{mg} / _l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LL50	17 ^{mg} / _I	fish	24 h
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	4.6 ^{mg} / _I	aquatic invertebrates	24 h
China Clay, calcined	66402-68-4	EC50	300.4 ^{mg} / _l	microorganisms	3 h
odorless mineral spirits	64742-48-9	EC50	15.41 ^{mg} / _l	microorganisms	40 h
octamethylcyclotet- rasiloxane	556-67-2	LC50	10 ^{µg} / _I	fish	14 d
octamethylcyclotet- rasiloxane	556-67-2	EC50	>500 ^{mg} / _I	aquatic invertebrates	24 h
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 ^{µg} / _I	fish	14 d

United Kingdom Page 10 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
decamethylcyclopentas- iloxane	541-02-6	EC50	>15 ^{µg} / _I	aquatic invertebrates	21 d		

12.2 Persistence and degradability

Degradability of components of the mixture									
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source			
octamethylcyc- lotetrasiloxane	556-67-2	carbon dioxide generation	3.7 %	29 d					

12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Distillates (petroleum), hydrotreated light	64742-47-8		>4	
octamethylcyclotetrasiloxane	556-67-2	12,400	6.488 (25.1 °C)	
decamethylcyclopentasiloxane	541-02-6	7,060	8.023 (25.3 °C)	
N,N-bis(2-Hydroxyethyl)oleamide	93-83-4		>6 (20 °C)	
CMIT/MIT mixture substance	55965-84-9		0.71 - 0.75	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

Endocrine disrupting chemicals (EDC)

Name of substance	CAS No	Combined cat- egory	Human health category	Wildlife category
octamethylcyclotetrasiloxane	556-67-2	CAT1	CAT1	CAT3b

Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals

CAT3b Category 3b - no evidence of endocrine disruption or no data available

United Kingdom Page 11 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

SECTION 13: Disposal considerations

Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	Not subject to transport regulations

14.2 **UN proper shipping name** Not relevant

14.3 Transport hazard class(es) None

14.4 Packing group Not relevant

14.5 **Environmental hazards** Non-environmentally hazardous acc. to the danger-

ous goods regulations

Special precautions for user

There is no additional information.

Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations 14.8

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS NO	tion	Restriction	NO
A38 Synthetic Wax	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
decamethylcyclopentasiloxane	decamethylcyclopentasiloxane	541-02-6	2018/0035/EC annex XVII	R70	70
odorless mineral spirits	flammable / pyrophoric		1907/2006/EC annex XVII	R40	40

Page 12/16 United Kingdom



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Type of registra- tion	Restriction	No
octamethylcyclotetrasiloxane	octamethylcyclotetrasiloxane	556-67-2	2018/0035/EC annex XVII	R70	70
octamethylcyclotetrasiloxane	flammable / pyrophoric		1907/2006/EC annex XVII	R40	40

Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays

tricks and jokes

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if

- can be used as fuel in decorative oil lamps for supply to the general public, and,
 present an aspiration hazard and are labelled with R65 or H304,
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements
- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil or even

lows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';

(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or

shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commis-

- R40
- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,- silly string aerosols,- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the reguirements indicated

R70

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,'whoopee' cushions,silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
- 'For professional users only' 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the re-

quirements indicated.

United Kingdom Page 13 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)

Name acc. to inventory	CAS No	Listed in	Remarks
decamethylcyclopentasiloxane	541-02-6	Candidate list	PBT A57d vPvB A57e
octamethylcyclotetrasiloxane	556-67-2	Candidate list	PBT A57d vPvB A57e

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

PBT A57d Persistent, Bioaccumulative and Toxic (article 57d) vPvB A57e Very Persistent and very Bioaccumulative (article 57e)

Deco-Paint Directive (2004/42/EC)

VOC content	26.12 %
-------------	---------

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	17.38 %
-------------	---------

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

none of the ingredients are listed

National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed

Legend

DSL Domestic Substances List (DSL)

NDSL Non-domestic Substances List (NDSL)

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

United Kingdom Page 14 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

United Kingdom Page 15 /16



according to Regulation (EC) No. 1907/2006 (REACH)

A38 Synthetic Wax

version number GHS 1.0.

Date of compilation. 2018-10-26.

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom Page 16 /16