

acc. to 29 CFR 1910.1200 App D

A8 Compound FT

version number GHS 1.0.

SECTION 1: Identification

1.1 Product identifier Trade name

A8 Compound FT

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Vehicle polishing compound

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States

telephone 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com website bbblending.com e-mail (competent person)

Emergency telephone number Emergency information service

Bblahnik@bbblending.com (Robert Blahnik)

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

Date of compilation. 2018-06-13.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
A.4S	Skin sensitization	1	Skin Sens. 1	H317
A.7	Reproductive toxicity	2	Repr. 2	H361f

For full text of abbreviations: see SECTION 16

2.2 Label elements

1.4

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) Signal word Warning Pictograms

GHS07, GHS08



Hazard statements

H317	May cause an allergic skin reaction.
H361f	Suspected of damaging fertility.
Precautionary state	ements
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Wear personal protective equipment/face protection.
P302+P352	If on skin: Wash with plenty of water.



version number GHS 1.0.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

A8 Compound FT

Date of compilation. 2018-06-13.

P308+P313	If exposed or concerned:	Get medical advice/attention.
P321	Specific treatment (see o	n this label).
P333+P313		curs: Get medical advice/attention.
P363	Wash contaminated cloth	ning before reuse.
P405	Store locked up.	5
P501	Dispose of contents/cont regulations.	ainer in accordance with local/regional/national/international
Hazardous ingr	edients for labelling	Octamethylcyclotetrasiloxane

Octamethylcyclotetrasiloxane Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3one and 2-methyl-2H -isothiazol-3-one (3:1)

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
distillates (petroleum) hydrotreated, light	CAS No 64742-47-8	20-<40	Asp. Tox. 1 / H304
octamethylcyclotetrasiloxane	CAS No 556-67-2	1-<3	Repr. 2 / H361f Flam. Liq. 3 / H226
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	CAS No 55965-84-9	< 0.1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first- aid measures General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give any-thing by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.



acc. to 29 CFR 1910.1200 App D

A8 Compound FT

version number GHS 1.0.

Date of compilation. 2018-06-13.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media Suitable extinguishing media Water spray. BC-powder. Carbon dioxide (CO2). Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). collect spillage sawdust kieselgur (diatomite) sand universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



acc. to 29 CFR 1910.1200 App D

A8 Compound FT

version number GHS 1.0.

Date of compilation. 2018-06-13.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities Control of the effects Protect against external exposure, such as

Frost.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Occupational exposure minit values (workplace exposure climits)								
Coun try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
US	alpha-Alumina	1344-28-1	REL					NIOSH REL
US	alpha-alumina	1344-28-1	PEL		15			29 CFR 1910.1000
US	alpha-alumina	1344-28-1	PEL		5			29 CFR 1910.1000
US	aluminium oxide	1344-28-1	PEL (CA)		10			Cal/OSHA PEL
US	aluminium oxide	1344-28-1	PEL (CA)		5			Cal/OSHA PEL
US	glycerine	56-81-5	REL					NIOSH REL
US	glycerol	56-81-5	PEL		15			29 CFR 1910.1000
US	glycerol	56-81-5	PEL		5			29 CFR 1910.1000

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

A8 Compound FT

version number GHS 1.0.

Date of compilation. 2018-06-13.

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time		
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects		
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects		
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects		
Relevant PNECs	of compone	nts of the	mixture					
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environment- al compart- ment	Exposure time		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.059 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	1.7 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.44 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.044 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.3 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.59 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)		
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.16 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



acc. to 29 CFR 1910.1200 App D

A8 Compound FT

version number GHS 1.0.

Date of compilation. 2018-06-13.

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	Liquid Viscous
Color	White
Odor	Characteristic
Other safety parameters	
PH (value)	8-8.5
Melting point/freezing point	Not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa >212 °F at 1 atm
Evaporation rate	Not determined
Flammability (solid, gas)	Not relevant Fluid
Explosive limits	
Lower explosion limit (LEL)	0.6 vol%
Upper explosion limit (UEL)	19 vol%
Vapor pressure	31.69 hPa at 25 °C
Density	1.06 ^g / _{ml}
Vapor density	This information is not available
Relative density	1.05 (water = 1)
Solubility(ies)	Not determined
Partition coefficient	
- n-octanol/water (log KOW)	This information is not available
Auto-ignition temperature	215 °C
J	





acc. to 29 CFR 1910.1200 App D

A8 Compound FT

version number GHS 1.0.

Date of compilation. 2018-06-13.

Viscosity	
Kinematic viscosity	5,714 ^{mm²} / _s at 25 °C
Dynamic viscosity	6,000 cP at 25 °C
Explosive properties	None
Oxidizing properties	None

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T3 Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula). Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture							
Name of substance	CAS No	Exposure route	ATE				
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	oral	100 ^{mg} / _{kg}				
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	dermal	300 ^{mg} / _{kg}				
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	inhalation: vapor	3 ^{mg} / _l /4h				



acc. to 29 CFR 1910.1200 App D

A8 Compound FT

version number GHS 1.0.

Date of compilation. 2018-06-13.

Skin corrosion/irritation
Shall not be classified as corrosive/irritant to skin.
Serious eye damage/eye irritation
Shall not be classified as seriously damaging to the eye or eye irritant.
Respiratory or skin sensitization
May cause an allergic skin reaction.
Germ cell mutagenicity
Shall not be classified as germ cell mutagenic.
Carcinogenicity
Shall not be classified as carcinogenic.
Reproductive toxicity
Suspected of damaging fertility.
Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
distillates (petroleum) hydrotreated, light	64742-47-8	LL50	5 ^{mg} / _l	fish	96 h		
distillates (petroleum) hydrotreated, light	64742-47-8	EL50	1.4 ^{mg} / _l	aquatic invertebrates	48 h		
octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 ^{µg} / _l	fish	96 h		
octamethylcyclotet- rasiloxane	556-67-2	EC50	>1,000 ^{mg} / _l	aquatic invertebrates	96 h		

Aquatic toxicity (chronic) of components of the mixture									
CAS No	Endpoint	Value	Species	Exposure time					
64742-47-8	LL50	17 ^{mg} / _l	fish	24 h					
64742-47-8	EL50	4.6 ^{mg} / _l	aquatic invertebrates	24 h					
556-67-2	LC50	10 ^{µg} / _l	fish	14 d					
556-67-2	EC50	>500 ^{mg} / _l	aquatic invertebrates	24 h					
	CAS No 64742-47-8 64742-47-8 556-67-2	CAS No Endpoint 64742-47-8 LL50 64742-47-8 EL50 556-67-2 LC50	CAS No Endpoint Value 64742-47-8 LL50 17 mg/l 64742-47-8 EL50 4.6 mg/l 556-67-2 LC50 10 µg/l	CAS No Endpoint Value Species 64742-47-8 LL50 17 mg/l fish 64742-47-8 EL50 4.6 mg/l aquatic invertebrates 556-67-2 LC50 10 ^{µg/l} fish					

acc. to 29 CFR 1910.1200 App D



version number GHS 1.0.

A8 Compound FT

Date of compilation. 2018-06-13.

- 12.2 Persistence and degradability Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- 12.6 Other adverse effects Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

Not required Not subject to transport regulations Not relevant None Not relevant Non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations Transport of dangerous goods by road or rail (49 CFR US DOT) Not subject to transport regulations. International Maritime Dangerous Goods Code (IMDG) Not subject to IMDG. International Civil Aviation Organization (ICAO-IATA/DGR) Not subject to ICAO-IATA.



acc. to 29 CFR 1910.1200 App D

A8 Compound FT

Date of compilation. 2018-06-13.

version number GHS 1.0.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s) NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard



version number GHS 1.0.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

A8 Compound FT

Date of compilation. 2018-06-13.

Abbr.	Descriptions of used abbreviations
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
РВТ	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



acc. to 29 CFR 1910.1200 App D

A8 Compound FT

Date of compilation. 2018-06-13.

version number GHS 1.0.

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H361f	Suspected of damaging fertility.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.