

according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 Replaces version of: 2018-03-02 (GHS 2) revision: 2018-03-14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name D17 Crisp Concentrate (1:50)

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

glass and mirror cleaner

concentrate

Robert Blahnik

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive CO 80233 Northglenn United States

Relevant identified uses

Telephone: 1.800.875.6320, 1.303.289.6320

e-mail: info@bbblending.com Website: bbblending.com

Competent person responsible for the safety data

sheet

e-mail (competent person) bblahnik@bbblending.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
2.6	flammable liquid	Cat. 2	(Flam. Liq. 2)	H225
3.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	Cat. 3	(STOT SE 3)	H336

Remarks

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS05, GHS07





according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 revision: 2018-03-14 Replaces version of: 2018-03-02 (GHS 2)

Hazard statements

H225 Highly flammable liquid and vapour.
 H318 Causes serious eye damage.
 H336 May cause drowsiness or dizziness.

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous ingredients for labelling: proprietary degreasing agent, Propan-2-ol

2.3 Other hazards

Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC
Propan-2-ol	CAS No 67-63-0 EC No 200-661-7 REACH Reg. No 01-2119457558-25-xxxx	25 - < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336
proprietary degreasing agent		25-<50	Eye Dam. 1 / H318

Exact percentage of ingredients is withheld as a trade secret. For full text of abbreviations: see SECTION 16.



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 revision: 2018-03-14 Replaces version of: 2018-03-02 (GHS 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 Replaces version of: 2018-03-02 (GHS 2) revision: 2018-03-14

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

• Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

Warning

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 Replaces version of: 2018-03-02 (GHS 2) revision: 2018-03-14

Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from

Incompatible substances or mixtures

Observe hints for combined storage.

- Control of effects
- Protect against external exposure, such as

frost

Consideration of other advice

Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
GB	propan-2-ol	67-63-0	WEL	400	999	500	1,250	EH40/200 5

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA**

Relevant DNELs/DMELs/PNECs and other threshold levels

relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Propan-2-ol	67-63-0	DNEL	888 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
Propan-2-ol	67-63-0	DNEL	500 mg/m ³	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects

relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
Propan-2-ol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	140.9 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 Replaces version of: 2018-03-02 (GHS 2)

> Name of sub-CAS Threshold level Organism Environ-mental com-**Exposure time** Endpoint stance partment 2,251 mg/_I Propan-2-ol 67-63-0 **PNEC** microorganisms sewage treatshort-term (single inment plant stance) (STP) $552 \frac{mg}{kg}$ 67-63-0 **PNEC** Propan-2-ol benthic organisms sediments short-term (single instance) Propan-2-ol 67-63-0 **PNEC** 552 mg/ka pelagic organisms sediments short-term (single instance) 160 ^{mg}/_{kg} Propan-2-ol 67-63-0 **PNEC** (top) predators short-term (single inwater stance) $28 \frac{\text{mg}}{\text{kg}}$ Propan-2-ol 67-63-0 **PNEC** short-term (single interrestrial organisms soil stance) Propan-2-ol 67-63-0 **PNEC** 140.9 mg/_I intermittent release aquatic organisms water

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid
Colour light green
Odour fruity

Other physical and chemical parameters

pH (value) 5 - 7 (25 °C)
Melting point/freezing point not determined

Initial boiling point and boiling range 82.5 °C

Flash point 12 °C at 101.3 kPa

revision: 2018-03-14



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 revision: 2018-03-14 Replaces version of: 2018-03-02 (GHS 2)

Evaporation rate not determined
Flammability (solid, gas) not relevant (fluid)
Explosive limits not determined
Vapour pressure 4.3 kPa at 20 °C
Density 0.9151 g/ml

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature not determined Viscosity not determined

Explosive properties none Oxidising properties none

Other information There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

if heated

risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 Replaces version of: 2018-03-02 (GHS 2) revision: 2018-03-14

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

• Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Propan-2-ol	67-63-0	LC50	10,000 ^{mg} / _l	fish	96 h
proprietary degreasing agent		LC50	>100 ^{mg} / _l	rainbow trout	48 h
proprietary degreasing agent		EC50	>100 ^{mg} / _l	daphnia magna	48 h

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Propan-2-ol	67-63-0	LC50	>10,000 ^{mg} / _I	aquatic inverteb- rates	24 h

Biodegradation

The relevant substances of the mixture are readily biodegradable.



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 revision: 2018-03-14 Replaces version of: 2018-03-02 (GHS 2)

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Propan-2-ol	67-63-0	oxygen depletion	53 %	5 d

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	1219
14.2	UN proper shipping name	ISOPROPANOL
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the dangerous goods regulations)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 revision: 2018-03-14 Replaces version of: 2018-03-02 (GHS 2)

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1219

Proper shipping name ISOPROPANOL

Class 3
Classification code F1
Packing group II
Danger label(s) 3



Special provisions (SP) 601

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) D/E

Hazard identification No 33

Emergency Action Code 2YE

• International Maritime Dangerous Goods Code (IMDG) UN number 1219

Proper shipping name ISOPROPANOL

Class 3
Packing group II
Danger label(s) 3



Special provisions (SP) Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-E, S-D
Stowage category B

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1219
Proper shipping name Isopropanol

Class 3
Packing group II
Danger label(s) 3



Special provisions (SP) A180 Excepted quantities (EQ) E2



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 revision: 2018-03-14 Replaces version of: 2018-03-02 (GHS 2)

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Name acc. to inventory	CAS No	Type of registration	Restriction	No
this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
flammable / pyrophoric		1907/2006/EC annex XVII	R40	40

Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays
- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if
- can be used as fuel in decorative oil lamps for supply to the general public, and, present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European
- Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil or even
- sucking the wick of lamps may lead to life-threatening lung damage';

 (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

 (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque
- containers not exceeding 1 litre by 1 December 2010.

 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accord-
- ance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commissions.
- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: R40
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement
 - horns for parties,decorative flakes and foams.
 - artificial cobwebs,
 - stink bombs.
 - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
 - 'For professional users only
 - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Direct-
 - The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- List of substances subject to authorisation (REACH, Annex XIV) / SVHC candidate list

None of the ingredients are listed.



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 revision: 2018-03-14 Replaces version of: 2018-03-02 (GHS 2)

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 47.76 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 47.76 %

• Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

• Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

• Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1		Other information: There is no additional information.	yes

16.2 Abbreviations and acronyms

Abbreviation	Abbreviations and acronyms				
Abbr.	Descriptions of used abbreviations				
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)				
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)				
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)				
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures				
CMR	Carcinogenic, Mutagenic or toxic for Reproduction				
DGR	Dangerous Goods Regulations (see IATA/DGR)				
DMEL	Derived Minimal Effect Level				
DNEL	Derived No-Effect Level				
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)				
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)				
EINECS	European Inventory of Existing Commercial Chemical Substances				
ELINCS	European List of Notified Chemical Substances				
EmS	Emergency Schedule				
Eye Dam.	Seriously damaging to the eye				



according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 Replaces version of: 2018-03-02 (GHS 2)

Abbreviations and acronyms Abbr. **Descriptions of used abbreviations** Eye Irrit. Irritant to the eye Flam. Liq. Flammable liquid **GHS** "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) **ICAO** International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods Code MARPOL International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic **PNEC** Predicted No-Effect Concentration Parts per million ppm **REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) RID STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative

Key literature references and sources for data

Workplace exposure limit

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EÚ GHS)

Classification procedure

WEL

Physical and chemical properties: The classification is based on tested mixture. Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of

the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)	
Code	Text
H225	Highly flammable liquid and vapour.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

revision: 2018-03-14



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

D17 Crisp Concentrate (1:50)

Version number: GHS 3.0 Replaces version of: 2018-03-02 (GHS 2)

revision: 2018-03-14

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.