



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

**D1 Engine Degreaser**

Registration number (REACH)

not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

engine cleaner/degreaser

Uses advised against

do not use for squirting or spraying  
do not use for products which come into direct contact with the skin

#### 1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC  
10963 Leroy Drive  
CO 80233 Northglenn  
United States

Telephone: 1.800.875.6320, 1.303.289.6320

Telefax: e-mail: info@bbblending.com

Website: bbblending.com

Competent person responsible for the safety data sheet

Robert Blahnik

e-mail (competent person)

bblahnik@bbblending.com

#### 1.4 Emergency telephone number

Emergency information service

**USA 1.800.535.5053, INTL 1.352.323.3500**

This number is only available during the following office hours: 09:00 AM - 05:00 PM  
Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	Cat. 1B	(Skin Corr. 1B)	H314
3.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318

#### Remarks

For full text of H-phrases: see SECTION 16.

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP)**

**Signal word**

**Danger**

**Pictograms**

GHS05



**Hazard statements**

H314 Causes severe skin burns and eye damage.

**Precautionary statements**

**Precautionary statements - prevention**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements - response**

P303+P361+P353 IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

**Precautionary statements - disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazardous ingredients for labelling:**

sodium metasilicate, anhydrous, EDTA, anhydrous, Alcohols, C9-11 ethoxylated

### 2.3 Other hazards

This material is combustible, but will not ignite readily.





## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

**Description of the mixture**

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Classification acc. to 67/548/EEC	Symbols
diethylene glycol monobutyl ether	CAS No 112-34-5 EC No 203-961-6	5 - < 10	Eye Irrit. 2 / H319	irritant; Xi; R36	
EDTA, anhydrous	CAS No 64-02-8 EC No 200-573-9	1 - < 5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373	harmful; Xn; R20/22-48/20/22 irritant; Xi; R41	
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1 - < 5	Eye Dam. 1 / H318	irritant; Xi; R41	
sodium metasilicate, anhydrous	CAS No 6834-92-0 EC No 229-912-9	1 - < 5	Skin Corr. 1B / H314 STOT SE 3 / H335	corrosive; C; R34 irritant; Xi; R37	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

For full text of abbreviations: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Brush off loose particles from skin. - Rinse skin with water/shower.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

##### Hazardous combustion products

nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

#### 6.3 Methods and material for containment and cleaning up

##### Advices on how to contain a spill

Covering of drains. - Take up mechanically.

##### Advices on how to clean up a spill

Take up mechanically. Collect spillage (sawdust. , kieselgur (diatomite), sand, universal binder).

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

##### • Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Never add water to this product. Ground/bond container and receiving equipment.

##### • Warning

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

##### • Handling of incompatible substances or mixtures

Do not mix with acids.

##### Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Managing of associated risks

##### • Explosive atmospheres

Removal of dust deposits.

##### Incompatible substances or mixtures

Observe hints for combined storage.

##### • Control of effects

• Protect against external exposure, such as frost



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### Consideration of other advice

#### • Ventilation requirements

Use local and general ventilation.

#### • Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
EU	2-(2-butoxyethoxy)ethanol	112-34-5	IOELV	10	67.5	15	101.2	2006/15/EC
UK	2-(2-butoxyethoxy)ethanol	112-34-5	WEL	10	67.5	15	101.2	EH40/2005
UK	dust		WEL		10			EH40/2005
UK	dust		WEL		4			EH40/2005

#### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

#### Relevant DNELs/DMELs/PNECs and other threshold levels

##### • relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
diethylene glycol monobutyl ether	112-34-5	DNEL	20 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
EDTA, anhydrous	64-02-8	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
EDTA, anhydrous	64-02-8	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Alcohols, C9-11 ethoxylated	68439-46-3	DNEL	2,080 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 ethoxylated	68439-46-3	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### • relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
diethylene glycol monobutyl ether	112-34-5	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
diethylene glycol monobutyl ether	112-34-5	PNEC	0.1 mg/l	aquatic organisms	marine water	short-term (single instance)
diethylene glycol monobutyl ether	112-34-5	PNEC	200 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
diethylene glycol monobutyl ether	112-34-5	PNEC	4 mg/kg	benthic organisms	sediments	short-term (single instance)
diethylene glycol monobutyl ether	112-34-5	PNEC	0.4 mg/kg	pelagic organisms	sediments	short-term (single instance)
diethylene glycol monobutyl ether	112-34-5	PNEC	56 mg/kg	(top) predators	water	short-term (single instance)
diethylene glycol monobutyl ether	112-34-5	PNEC	0.4 mg/kg	terrestrial organisms	soil	short-term (single instance)
diethylene glycol monobutyl ether	112-34-5	PNEC	3.9 mg/l	aquatic organisms	water	continuous
EDTA, anhydrous	64-02-8	PNEC	2.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
EDTA, anhydrous	64-02-8	PNEC	0.22 mg/l	aquatic organisms	marine water	short-term (single instance)
EDTA, anhydrous	64-02-8	PNEC	43 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
EDTA, anhydrous	64-02-8	PNEC	0.72 mg/kg	terrestrial organisms	soil	short-term (single instance)
EDTA, anhydrous	64-02-8	PNEC	1.2 mg/l	aquatic organisms	water	continuous
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.1038 mg/l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.1038 mg/l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	1.4 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	13.7 mg/kg	benthic organisms	sediments	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	13.7 mg/kg	pelagic organisms	sediments	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.014 mg/l	aquatic organisms	water	continuous



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

###### • hand protection

Wear protective gloves.

###### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

Particulate filter device (EN 143).

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state solid

Colour red

Odour fruity

#### Other physical and chemical parameters

pH (value) >14 (25 °C) (base)

Melting point/freezing point not determined

Initial boiling point and boiling range 100 °C

Flash point 62 °C

Evaporation rate not determined

Flammability (solid, gas)

Explosion limits of dust clouds not determined

Vapour pressure 31.69 hPa at 25 °C

Density not determined

Relative density 1.05 water = 1 at 25 °C

Solubility(ies) not determined

Partition coefficient

n-octanol/water (log KOW) This information is not available.

Auto-ignition temperature 210 °C

Viscosity not relevant (solid matter)

Explosive properties none

Oxidising properties none



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

##### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

##### Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

#### 10.5 Incompatible materials

There is no additional information.

##### Release of flammable materials with

light metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

##### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
EDTA, anhydrous	64-02-8	oral	1,913
sodium metasilicate, anhydrous	6834-92-0	oral	1,280

##### Skin corrosion/irritation

Causes severe skin burns and eye damage.

##### Serious eye damage/eye irritation

Causes serious eye damage.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.





# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

##### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
diethylene glycol monobutyl ether	112-34-5	LC50	1,300 mg/l	fish	96 hours
diethylene glycol monobutyl ether	112-34-5	EC50	>100 mg/l	aquatic invertebrates	48 hours
diethylene glycol monobutyl ether	112-34-5	ErC50	>100 mg/l	algae	96 hours
EDTA, anhydrous	64-02-8	LC50	121 mg/l	fish	96 hours
Alcohols, C9-11 ethoxylated	68439-46-3	LC50	7 mg/l	fish	96 hours
Alcohols, C9-11 ethoxylated	68439-46-3	EC50	2.5 mg/l	aquatic invertebrates	48 hours

#### Aquatic toxicity (chronic)

##### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
EDTA, anhydrous	64-02-8	EC50	625 mg/l	aquatic invertebrates	24 h

### 12.2 Persistence and degradability

Data are not available.

#### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
diethylene glycol monobutyl ether	112-34-5	oxygen depletion	85 %	28 d

### 12.3 Bioaccumulative potential

Data are not available.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
diethylene glycol monobutyl ether	112-34-5		1	
EDTA, anhydrous	64-02-8	1.8		
Alcohols, C9-11 ethoxylated	68439-46-3		3.75	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

##### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

##### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

- 14.1** UN number **1760**
- 14.2** UN proper shipping name **CORROSIVE LIQUID, N.O.S.**  
Hazardous ingredients Sodium metasilicate, anhydrous
- 14.3** Transport hazard class(es)  
Class 8 (corrosive substances)
- 14.4** Packing group II (substance presenting medium danger)
- 14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)
- 14.6** Special precautions for user  
Provisions for dangerous goods (ADR) should be complied within the premises.
- 14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code  
The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Class	8
Classification code	C9
Packing group	II
Danger label(s)	8

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
<b>• International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Class	8
Packing group	II
Danger label(s)	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	B
<b>• International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	1760
Proper shipping name	Corrosive liquid, n.o.s.
Class	8
Packing group	II
Danger label(s)	8



Special provisions (SP)	A3, 274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0.5 L

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 5.02 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 0 %



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

### • Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
cationic surfactants amphoteric surfactants non-ionic surfactants	less than 5 %

### National regulations (Switzerland)

#### Ordinance on the incentive tax on volatile organic compounds (VOCV)

VOC content (object of taxation):

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
C	corrosive
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EmS	Emergency Schedule
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT RE	specific target organ toxicity - repeated exposure
STOT SE	specific target organ toxicity - single exposure
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
Xi	irritant
Xn	harmful

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H318	causes serious eye damage
H319	causes serious eye irritation
H332	harmful if inhaled
H335	may cause respiratory irritation
H373	may cause damage to organs through prolonged or repeated exposure
R20/22	harmful by inhalation and if swallowed
R34	causes burns
R36	irritating to eyes
R37	irritating to respiratory system
R41	risk of serious damage to eyes



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## D1 Engine Degreaser

Version number: GHS 1.0

Date of compilation: 2015-09-21

Code	Text
R48/20/22	harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.