



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name** D34 Max Butter Wax  
**Registration number (REACH)** Not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** Vehicle polish

#### 1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC  
10963 Leroy Drive  
Northglenn  
CO 80233  
United States

telephone  
1.800.875.6320, 1.303.289.6320  
e-mail: info@bbblending.com  
website  
bbblending.com

**e-mail (competent person)** Btirrell@bbblending.com  
(Beth Tirrell)

#### 1.4 Emergency telephone number

**Emergency information service** USA 1.800.535.5053, INTL 1.352.323.3500  
24 hour emergency number

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard state-ment
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses. The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

#### Additional information

Containing a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word** Warning

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### Pictograms

GHS07, GHS09



### Hazard statements

**H315** Causes skin irritation.  
**H317** May cause an allergic skin reaction.  
**H410** Very toxic to aquatic life with long lasting effects.

### Precautionary statements

**P261** Avoid breathing dust/fume/gas/mist/vapours/spray.  
**P280** Wear protective gloves/protective clothing/eye protection/face protection.  
**P333+P313** If skin irritation or rash occurs: Get medical advice/attention.  
**P363** Wash contaminated clothing before reuse.  
**P391** Collect spillage.  
**P501** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazardous ingredients for labelling** CMIT/MIT mixture

### 2.3 Other hazards

This material is combustible, but will not ignite readily. Special danger of slipping by leaking/spilling product.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture).

### 3.2 Mixtures

#### Description of the mixture

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
odorless mineral spirits	CAS No 64742-48-9  EC No 265-150-3	12 - < 20	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
China Clay, calcined	CAS No 66402-68-4  EC No 266-340-9	3 - < 12	Acute Tox. 4 / H332	
octamethylcyclotetrasiloxane	CAS No 556-67-2  EC No 209-136-7	1 - < 3	Flam. Liq. 3 / H226 Repr. 2 / H361f Aquatic Chronic 4 / H413	PBT vPvB
decamethylcyclopentasiloxane	CAS No 541-02-6  EC No 208-764-9	0.1 - < 1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	PBT vPvB



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
CMIT/MIT mixture	CAS No 55965-84-9  EC No 911-418-6	<0.1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	GHS-HC

### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

PBT: The substance was identified as a PBT (persistent, bioaccumulative and toxic)

vPvB: The substance was identified as a vPvB (very persistent and very bioaccumulative)

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray. BC-powder. Carbon dioxide (CO<sub>2</sub>).

#### Unsuitable extinguishing media

Water jet.

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). collect spillage  
sawdust

kieselgur (diatomite)

sand

universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Control of effects

#### Protect against external exposure, such as

Frost.

### 7.3 Specific end use(s)

See section 16 for a general overview.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
China Clay, calcined	66402-68-4	DNEL	15.63 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
decamethylcyclopentasiloxane	541-02-6	DNEL	97.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
decamethylcyclopentasiloxane	541-02-6	DNEL	97.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
decamethylcyclopentasiloxane	541-02-6	DNEL	24.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
decamethylcyclopentasiloxane	541-02-6	DNEL	24.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
octamethylcyclotetrasiloxane	556-67-2	PNEC	10 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.059 mg/kg	pelagic organisms	sediments	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	1.7 mg/kg	(top) predators	water	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.44 µg/l	aquatic organisms	freshwater	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.044 µg/l	aquatic organisms	marine water	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.3 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.59 mg/kg	benthic organisms	sediments	short-term (single instance)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.16 mg/kg	terrestrial organisms	soil	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	10 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	11 mg/kg	benthic organisms	sediments	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	13 mg/kg	(top) predators	water	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	1.1 mg/kg	pelagic organisms	sediments	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	1.2 µg/l	aquatic organisms	freshwater	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	0.12 µg/l	aquatic organisms	marine water	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	11 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	1.1 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
decamethylcyclopentasiloxane	541-02-6	PNEC	1.27 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

##### Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	Liquid Viscous
Colour	Light yellow
Odour	Fruity

##### Other safety parameters

PH (value)	Not determined
Melting point/freezing point	Not determined
Initial boiling point and boiling range	83 – 100 °C at 101.3 kPa
Flash point	63 °C at 101.3 kPa 146 °F at 1 atm
Evaporation rate	Not determined
Flammability (solid, gas)	Not relevant Fluid

##### Explosive limits

Lower explosion limit (LEL)	0.7 vol%
Upper explosion limit (UEL)	5.4 vol%
Vapour pressure	31.69 hPa at 25 °C
Density	1.008 g/ml
Vapour density	This information is not available
Relative density	1 at 25 °C (water = 1)
Solubility(ies)	Not determined

##### Partition coefficient

- n-octanol/water (log KOW)	This information is not available
Auto-ignition temperature	343 °C

##### Viscosity

Kinematic viscosity	8,000 cSt at 25 °C
---------------------	--------------------



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

<b>Explosive properties</b>	None
<b>Oxidising properties</b>	None

### 9.2 Other information

<b>Temperature class (EU, acc. to ATEX)</b>	T2 Maximum permissible surface temperature on the equipment: 300 °C
---	--

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
China Clay, calcined	66402-68-4	inhalation: dust/mist	2.3 mg <sub>l</sub> /4h
CMIT/MIT mixture	55965-84-9	oral	100 mg <sub>kg</sub>
CMIT/MIT mixture	55965-84-9	dermal	300 mg <sub>kg</sub>
CMIT/MIT mixture	55965-84-9	inhalation: vapour	3 mg <sub>l</sub> /4h

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.





# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
octamethylcyclotetrasiloxane	556-67-2	LC50	>22 µg/l	fish	96 h
octamethylcyclotetrasiloxane	556-67-2	EC50	>1,000 mg/l	aquatic invertebrates	96 h
decamethylcyclopentasiloxane	541-02-6	LC50	>16 µg/l	fish	96 h
decamethylcyclopentasiloxane	541-02-6	EC50	>2.9 µg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
odorless mineral spirits	64742-48-9	EC50	15.41 mg/l	microorganisms	40 h
China Clay, calcined	66402-68-4	EC50	300.4 mg/l	microorganisms	3 h
octamethylcyclotetrasiloxane	556-67-2	LC50	10 µg/l	fish	14 d
octamethylcyclotetrasiloxane	556-67-2	EC50	>500 mg/l	aquatic invertebrates	24 h
decamethylcyclopentasiloxane	541-02-6	LC50	>16 µg/l	fish	14 d
decamethylcyclopentasiloxane	541-02-6	EC50	>15 µg/l	aquatic invertebrates	21 d



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
octamethylcyclotetrasiloxane	556-67-2	carbon dioxide generation	3.7 %	29 d		

### 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
octamethylcyclotetrasiloxane	556-67-2	12,400	6.488 (25.1 °C)	
decamethylcyclopentasiloxane	541-02-6	7,060	8.023 (25.3 °C)	
CMIT/MIT mixture	55965-84-9		0.71 – 0.75	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

### 12.6 Other adverse effects

#### Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

Endocrine disrupting chemicals (EDC)				
Name of substance	CAS No	Combined category	Human health category	Wildlife category
octamethylcyclotetrasiloxane	556-67-2	CAT1	CAT1	CAT3b

#### Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals  
CAT3b Category 3b - no evidence of endocrine disruption or no data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### SECTION 14: Transport information

- 14.1 UN number** Not subject to transport regulations
- 14.2 UN proper shipping name** Not relevant
- 14.3 Transport hazard class(es)** None
- 14.4 Packing group** Not relevant
- 14.5 Environmental hazards** Non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations**  
**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**  
Not subject to ADR, RID and ADN.  
**International Maritime Dangerous Goods Code (IMDG)**  
Not subject to IMDG.  
**International Civil Aviation Organization (ICAO-IATA/DGR)**  
Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Relevant provisions of the European Union (EU)**  
**Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Type of registration	Restriction	No
D34 Max Butter Wax	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
decamethylcyclopentasiloxane	decamethylcyclopentasiloxane	541-02-6	2018/0035/EC annex XVII	R70	70
odorless mineral spirits	flammable / pyrophoric		1907/2006/EC annex XVII	R40	40
octamethylcyclotetrasiloxane	octamethylcyclotetrasiloxane	556-67-2	2018/0035/EC annex XVII	R70	70
octamethylcyclotetrasiloxane	flammable / pyrophoric		1907/2006/EC annex XVII	R40	40

#### Legend

- R3
- Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  - Articles not complying with paragraph 1 shall not be placed on the market.
  - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and,
    - present an aspiration hazard and are labelled with R65 or H304,
  - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### Legend

Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  
 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  
 (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';  
 (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';  
 (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.  
 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.  
 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

- R40** 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:  
 - metallic glitter intended mainly for decoration,  
 - artificial snow and frost,  
 - 'whoopee' cushions,  
 - silly string aerosols,  
 - imitation excrement,  
 - horns for parties,  
 - decorative flakes and foams,  
 - artificial cobwebs,  
 - stink bombs.  
 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  
 'For professional users only'.  
 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).  
 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R70** 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:  
 - metallic glitter intended mainly for decoration,  
 - artificial snow and frost,  
 - 'whoopee' cushions,  
 - silly string aerosols,  
 - imitation excrement,  
 - horns for parties,  
 - decorative flakes and foams,  
 - artificial cobwebs,  
 - stink bombs.  
 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  
 'For professional users only'.  
 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).  
 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)			
Name acc. to inventory	CAS No	Listed in	Remarks
decamethylcyclopentasiloxane	541-02-6	Candidate list	PBT A57d vPvB A57e
octamethylcyclotetrasiloxane	556-67-2	Candidate list	PBT A57d vPvB A57e

### Legend

- candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
 PBT A57d Persistent, Bioaccumulative and Toxic (article 57d)  
 vPvB A57e Very Persistent and very Bioaccumulative (article 57e)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### Deco-Paint Directive (2004/42/EC)

VOC content	22.84 %
-------------	---------

### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	21.9 %
-------------	--------

### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

none of the ingredients are listed

### National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed

#### Legend

DSL Domestic Substances List (DSL)

REACH Reg. REACH registered substances

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Registration number (REACH): not relevant (mixture)		yes
1.1		Registration number (REACH): Not relevant (mixture)	yes
1.3	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive CO 80233 Northglenn United States  Telephone: 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com Website: bbblending.com	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States  telephone 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com website bbblending.com	yes
1.3	Competent person responsible for the safety data sheet: Robert Blahník		yes
1.3	e-mail (competent person): bblahník@bbblending.com		yes



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3		e-mail (competent person): Btirrell@bbblending.com (Beth Tirrell)	yes
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of H-phrases: see SECTION 16.		yes
2.1	The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of water-courses.	The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of water-courses. The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).	yes
2.1		Additional information: Containing a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$ .	yes
2.2	Signal word: Danger	Signal word: Warning	yes
2.2		Pictograms: change in the listing (table)	yes
2.2	Hazard statements		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Precautionary statements		yes
2.2	Precautionary statements - prevention		yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Precautionary statements - disposal		yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.2		Precautionary statements: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: odorless mineral spirits	Hazardous ingredients for labelling: CMIT/MIT mixture	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Hazardous ingredients acc. to GHS: change in the listing (table)	yes



**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006  
(REACH)

**D34 Max Butter Wax**

version number GHS 3.0.

revision 2018-10-15.

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
4.1	Following eye contact: Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.	Following eye contact: Remove contact lenses, if present and easy to do. Continue rinsing.	yes
7.2	Managing of associated risks		yes
7.2	Incompatible substances or mixtures: Observe hints for combined storage.		yes
8.1	Control parameters	Control parameters: This information is not available.	yes
8.1	National limit values		yes
8.1	Occupational exposure limit values (Workplace Exposure Limits): No information available.		yes
8.1	Relevant DNELs/DMELs/PNECs and other threshold levels		yes
8.1	• relevant DNELs of components of the mixture		yes
8.1	• relevant PNECs of components of the mixture		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Odour: fruity		yes
9.1		Odour: Fruity	yes
9.1		Vapour density: This information is not available	yes
9.1	Viscosity: not determined	Viscosity	yes
9.1		Kinematic viscosity: 8,000 cSt at 25 °C	yes
9.2	Other information: There is no additional information.	Other information	yes
9.2		Temperature class (EU, acc. to ATEX): T2 Maximum permissible surface temperature on the equipment: 300 °C	yes
10.4	Physical stresses which might result in a hazardous situation and have to be avoided: strong shocks		yes
11.1	• Acute toxicity of components of the mixture		yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1	Respiratory or skin sensitisation: Shall not be classified as a respiratory or skin sensitiser.	Respiratory or skin sensitisation: May cause an allergic skin reaction.	yes



**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006  
(REACH)

**D34 Max Butter Wax**

version number GHS 3.0.

revision 2018-10-15.

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
11.1	Summary of evaluation of the CMR properties: Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.		yes
11.1	Specific target organ toxicity (STOT): Shall not be classified as a specific target organ toxicant.		yes
11.1		Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	yes
11.1		Carcinogenicity: Shall not be classified as carcinogenic.	yes
11.1		Reproductive toxicity: Shall not be classified as a reproductive toxicant.	yes
11.1		Specific target organ toxicity - single exposure: Shall not be classified as a specific target organ toxicant (single exposure).	yes
11.1		Specific target organ toxicity - repeated exposure: Shall not be classified as a specific target organ toxicant (repeated exposure).	yes
11.1	Aspiration hazard: May be fatal if swallowed and enters airways.	Aspiration hazard: Shall not be classified as presenting an aspiration hazard.	yes
12.1	Toxicity: Harmful to aquatic life with long lasting effects.	Toxicity: Very toxic to aquatic life with long lasting effects.	yes
12.1	Aquatic toxicity (acute)		yes
12.1	Aquatic toxicity (acute) of components of the mixture		yes
12.1	Aquatic toxicity (chronic): May cause long-term adverse effects in the aquatic environment.		yes
12.1	Aquatic toxicity (chronic) of components of the mixture		yes
12.2	Degradability of components of the mixture		yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.3	Bioaccumulative potential: Data are not available.	Bioaccumulative potential: The substance fulfils the very bioaccumulative criterion.	yes
12.3	Bioaccumulative potential of components of the mixture		yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).	yes





# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
12.6	Other adverse effects: Data are not available.	Other adverse effects	yes
12.6		Endocrine disrupting potential: The mixture contains substance(s) with an endocrine disrupting potential.	yes
12.6		Endocrine disrupting chemicals (EDC): change in the listing (table)	yes
13.1	Waste treatment of containers/packagings: It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packagings: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.3	Transport hazard class(es)	Transport hazard class(es): None	yes
14.3	Class: -		yes
14.5	Environmental hazards: none (non-environmentally hazardous acc. to the dangerous goods regulations)	Environmental hazards: Non-environmentally hazardous acc. to the dangerous goods regulations	yes
14.8		Information for each of the UN Model Regulations	yes
14.8		Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN): Not subject to ADR, RID and ADN.	yes
14.8		International Maritime Dangerous Goods Code (IMDG): Not subject to IMDG.	yes
14.8		International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	yes
15.1		Restrictions according to REACH, Annex XVII	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1		List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list	yes
15.1		Substance of Very High Concern (SVHC): change in the listing (table)	yes
15.1	VOC content: 22.84 %		yes
15.1		VOC content: 22.84 %	yes
15.1	VOC content: 21.9 %		yes
15.1	• Regulation 648/2004/EC on detergents		yes
15.1		Labelling of contents: change in the listing (table)	yes
15.1		VOC content: 21.9 %	yes



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II: none of the ingredients are listed	yes
15.1		Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR): none of the ingredients are listed	yes
15.1		Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD): none of the ingredients are listed	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16	Key literature references and sources for data: - Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU - Regulation (EC) No. 1272/2008 (CLP, EU GHS)	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU. Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes
16		List of relevant phrases (code and full text as stated in chapter 2 and 3)	yes
16		List of relevant phrases (code and full text as stated in chapter 2 and 3): change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(REACH)

## D34 Max Butter Wax

version number GHS 3.0.

revision 2018-10-15.

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.