

according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Version number: GHS 1.0

Date of compilation: 2018-01-18

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier Trade name Registration number (REACH)
- **1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses general use

#### 1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive CO 80233 Northglenn United States

Telephone: 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com Website: bbblending.com

Competent person responsible for the safety data sheet e-mail (competent person)

**1.4 Emergency telephone number** Emergency information service bblahnik@bbblending.com

Robert Blahnik

**D4 Citri Solv** 

not relevant (mixture)

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
2.6	flammable liquid	Cat. 2	(Flam. Liq. 2)	H225
3.2	skin corrosion/irritation	Cat. 2	(Skin Irrit. 2)	H315
3.4S	skin sensitisation	Cat. 1B	(Skin Sens. 1B)	H317
3.7	reproductive toxicity	Cat. 2	(Repr. 2)	H361d
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	Cat. 3	(STOT SE 3)	H336
3.10	aspiration hazard	Cat. 1	(Asp. Tox. 1)	H304
4.1C	hazardous to the aquatic environment - chronic hazard	Cat. 2	(Aquatic Chronic 2)	H411

#### Remarks

For full text of H-phrases: see SECTION 16.

#### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Version number: GHS 1.0

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP) Signal word Danger Pictograms

GHS02, GHS07, GHS08, GHS09



#### Hazard statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

#### Precautionary statements - storage

Hazardous ingred	lients for labelling:	Naphtha (petroleum), hydrotreated light, d-limonene
P403+P233 P403+P235	Store in a well-ventilated place. Store in a well-ventilated place.	

#### 2.3 Other hazards

Repeated exposure may cause skin dryness or cracking.

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC
xylene	CAS No 1330-20-7 EC No 215-535-7 REACH Reg. No 01-2119488216-32-xxxx	50 - < 75	Flam. Liq. 3 / H226 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315

Date of compilation: 2018-01-18



Version number: GHS 1.0

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Date of compilation: 2018-01-18

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC
Naphtha (petroleum), hydrotreated light	CAS No 64742-49-0 EC No 265-151-9 REACH Reg. No 01-2119475133-43-xxxx	25-<50	Flam. Liq. 1 / H224 Skin Irrit. 2 / H315 Repr. 2 / H361d STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411
d-limonene	CAS No 5989-27-5 EC No 227-813-5 REACH Reg. No 01-2119529223-47-xxxx	5-<10	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410

Exact percentage of ingredients is withheld as a trade secret. For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### **Following inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

# **4.2 Most important symptoms and effects, both acute and delayed** Narcotic effects.

# **4.3** Indication of any immediate medical attention and special treatment needed none



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Date of compilation: 2018-01-18

#### Version number: GHS 1.0

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

water spray, BC-powder, carbon dioxide (CO2) **Unsuitable extinguishing media** 

water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust., kieselgur (diatomite), sand, universal binder).

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Date of compilation: 2018-01-18

#### Version number: GHS 1.0

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

#### · Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools.

#### Warning

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities Managing of associated risks

#### • Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

#### • Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

#### Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

#### • Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
EU	xylene	1330-20-7	IOELV	50	221	100	442	2017/164/ EU
UK	hydrocarbon mixture (RCP method)		WEL		250		500	EH40/200 5
GB	xylene, mixture of isomers	1330-20-7	WEL	50	220	100	441	EH40/200 5



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

#### Version number: GHS 1.0

Date of compilation: 2018-01-18

Coun try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
GB	cycloalkanes (>C7)	5989-27-5	WEL		800			EH40/200 5

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average

#### **Biological limit values**

Coun- try	Name of agent	Parameter	Nota- tion	Identifier	Value	Source
GB	xylene	methylhippuric acids	crea	BMGV	650 mmol/mol	EH40/2005

Notation

crea Creatinine

#### Relevant DNELs/DMELs/PNECs and other threshold levels • relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
xylene	1330-20- 7	DNEL	77 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects
xylene	1330-20- 7	DNEL	289 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	acute - systemic ef- fects
xylene	1330-20- 7	DNEL	289 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	acute - local effects
xylene	1330-20- 7	DNEL	180 mg/kg bw/day	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
d-limonene	5989-27- 5	DNEL	33.3 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects

#### • relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
xylene	1330-20- 7	PNEC	6.58 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
xylene	1330-20- 7	PNEC	12.46 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (single in- stance)
xylene	1330-20- 7	PNEC	12.46 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (single in- stance)
xylene	1330-20- 7	PNEC	0.327 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
xylene	1330-20- 7	PNEC	0.327 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
xylene	1330-20- 7	PNEC	0.327 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

#### Version number: GHS 1.0

Date of compilation: 2018-01-18

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
xylene	1330-20- 7	PNEC	6.58 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
xylene	1330-20- 7	PNEC	12.46 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sedi- ment	short-term (single in- stance)
xylene	1330-20- 7	PNEC	12.46 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single in- stance)
xylene	1330-20- 7	PNEC	2.31 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
d-limonene	5989-27- 5	PNEC	5.4 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
d-limonene	5989-27- 5	PNEC	0.54 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
d-limonene	5989-27- 5	PNEC	1.8 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
d-limonene	5989-27- 5	PNEC	1.32 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (single in- stance)
d-limonene	5989-27- 5	PNEC	0.13 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (single in- stance)
d-limonene	5989-27- 5	PNEC	0.262 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
d-limonene	5989-27- 5	PNEC	3.33 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single in- stance)

#### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment) Eye/face protection

Wear eye/face protection.

Skin protection

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Date of compilation: 2018-01-18

#### Version number: GHS 1.0

#### **Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	liquid
Colour	colourless
Odour	solvent
Other physical and chemical para	meters
pH (value)	not determ
Melting point/freezing point	not determ
Initial boiling point and boiling range	116 °C at 1
Flash point	22 °C at 10
Evaporation rate	not determi
Flammability (solid, gas)	not relevan
Explosive limits	not determi
Vapour pressure	240 kPa at
Density	0.8159 <sup>g</sup> / <sub>ml</sub>
Solubility(ies)	not determi
Partition coefficient	
n-octanol/water (log KOW)	this informa
Auto-ignition temperature	245 °C
Viscosity	not determi
Explosive properties	none

not determined not determined 116 °C at 101.3 kPa 22 °C at 101.3 kPa 72 °F at 1 atm not determined not relevant (fluid) not determined 240 kPa at 37.8 °C 0.8159 <sup>g</sup>/<sub>ml</sub> not determined

this information is not available 245 °C not determined none none

#### **SECTION 10: Stability and reactivity**

Oxidising properties

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

#### if heated

risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Version number: GHS 1.0

Date of compilation: 2018-01-18

# Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

#### 10.5 Incompatible materials

oxidisers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
xylene	1330-20-7	dermal	1,100 <sup>mg</sup> / <sub>kg</sub>
xylene	1330-20-7	inhalation: vapour	11 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Summary of evaluation of the CMR properties

Suspected of damaging the unborn child. Shall not be classified as germ cell mutagenic. Shall not be classified as carcinogenic.

#### Specific target organ toxicity (STOT)

#### • Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

May be fatal if swallowed and enters airways.



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

Date of compilation: 2018-01-18

#### Version number: GHS 1.0

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects. Aquatic toxicity (acute)

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Naphtha (petroleum), hydrotreated light	64742-49-0	LL50	8.2 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Naphtha (petroleum), hydrotreated light	64742-49-0	EL50	4.5 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	48 h
d-limonene	5989-27-5	LC50	720 <sup>µg</sup> / <sub>l</sub>	fish	96 h
d-limonene	5989-27-5	EC50	688 <sup>µg</sup> / <sub>l</sub>	fish	96 h

#### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Naphtha (petroleum), hydrotreated light	64742-49-0	EL50	10 <sup>mg</sup> / <sub>l</sub>	fish	21 d
Naphtha (petroleum), hydrotreated light	64742-49-0	EC50	15.41 <sup>mg</sup> / <sub>l</sub>	microorganisms	40 h
d-limonene	5989-27-5	EC50	0.85 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	24 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

#### Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
xylene	1330-20-7	>5.5-<12.2	3.2 (pH value: 7, 20 °C)	
d-limonene	5989-27-5		4.38 (pH value: 7.2, 37 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### **12.5 Results of PBT and vPvB assessment** Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)



### D4 Citri Solv

Date of compilation: 2018-01-18

### 12.6 Other adverse effects

Version number: GHS 1.0

Data are not available. Endocrine disrupting potential None of the ingredients are listed.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SEC	TION 14: Transport information	
14.1	UN number	3295
14.2	UN proper shipping name	HYDROCARBONS, LIQUID, N.O.S.
14.3	Transport hazard class(es) Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	<b>NONE</b> (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user	

Provisions for dangerous goods (ADR) should be complied within the premises.

**14.7** Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations <ul> <li>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)</li> </ul>					
UN number	3295				
Proper shipping name	HYDROCARBONS, LIQUID, N.O.S.				
Class	3				
Classification code	F1				
Packing group	II				
Danger label(s)	3				
Special provisions (SP)	640C				
Excepted quantities (EQ)	E2				

PURIS

#### according to Regulation (EC) No. 1907/2006 (REACH)

### **D4 Citri Solv**

Version number: GHS 1.0 Date of compilation: 2018-01-18 Limited quantities (LQ) 1 L Transport category (TC) 2 Tunnel restriction code (TRC) D/E Hazard identification No 33 **Emergency Action Code** 3YE International Maritime Dangerous Goods Code (IMDG) **UN** number 3295 Proper shipping name HYDROCARBONS, LIQUID, N.O.S. Class 3 Packing group Ш Danger label(s) 3 Special provisions (SP) Excepted quantities (EQ) F2 Limited quantities (LQ) 1 L EmS F-E, S-D Stowage category В International Civil Aviation Organization (ICAO-IATA/DGR) **UN** number 3295 Proper shipping name Hydrocarbons, liquid, n.o.s. Class 3 Packing group Ш Danger label(s) 3 Special provisions (SP) A3 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Name acc. to inventory	CAS No	Type of registration	Restriction	No
this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
flammable / pyrophoric		1907/2006/EC annex XVII	R40	40



according to Regulation (EC) No. 1907/2006 (REACH)

### **D4 Citri Solv**

#### Version number: GHS 1.0

#### Date of compilation: 2018-01-18

Name acc. to inventory	CAS No	Type of registration	Restriction	No
this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
flammable / pyrophoric		1907/2006/EC annex XVII	R40	40
this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
flammable / pyrophoric		1907/2006/EC annex XVII	R40	40

Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays

- tricks and jokes

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: - can be used as fuel in decorative oil lamps for supply to the general public, and, - present an aspiration hazard and are labelled with R65 or H304,

Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as fol-lows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';

(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration,

- artificial snow and frost,
  'whoopee' cushions,
- silly string aerosols.
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs.

- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the re-

quirements indicated.

#### List of substances subject to authorisation (REACH, Annex XIV)

None of the ingredients are listed.



according to Regulation (EC) No. 1907/2006 (REACH)

### D4 Citri Solv

#### Version number: GHS 1.0

Date of compilation: 2018-01-18

# • Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content

100 %

100 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content

• Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

• Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Name of substance	CAS No	Re- marks	Threshold for releases to air (kg/year)	Threshold for releases to water (kg/year)	Threshold for releases to land (kg/year)
xylene	1330-20-7	(17) (11)		200 (as BTEX)	200 (as BTEX)

Legend

(11) Single pollutants are to be reported if the threshold for BTEX (the sum parameter of benzene, toluene, ethyl benzene, xylenes) is exceeded

(17) Total mass of xylene (ortho-xylene, meta-xylene, para-xylene)

# $\bullet$ Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

#### • Regulation 648/2004/EC on detergents

Labelling of contents

Constituents	Weight % content (or range)
aromatic hydrocarbons	30 % and more
perfumes, d-limonene	

#### National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL) REACH Reg. REACH registered substances

TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### **D4 Citri Solv**

Date of compilation: 2018-01-18

#### Version number: GHS 1.0

### **SECTION 16: Other information**

#### 16.2 Abbreviations and acronyms

Abbreviations and acronyms		
Abbr.	Descriptions of used abbreviations	
2017/164/EU	Comission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU	
Acute Tox.	Acute toxicity	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
Asp. Tox.	Aspiration hazard	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
IOELV	Indicative occupational exposure limit value	
log KOW	n-Octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	



according to Regulation (EC) No. 1907/2006 (REACH)

### **D4 Citri Solv**

Date of compilation: 2018-01-18

#### Version number: GHS 1.0

Abbreviations and acronyms		
Abbr.	Descriptions of used abbreviations	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
RCP	Reciprocal calculation procedure	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
Repr.	Reproductive toxicity	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
Skin Sens.	Skin sensitisation	
STEL	Short-term exposure limit	
STOT SE	Specific target organ toxicity - single exposure	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

#### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- \_

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula). ſ

List of relevant phrases (code and full text as stated in chapter 2 and 3)		
Code	Text	
H224	Extremely flammable liquid and vapour.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H361d	Suspected of damaging the unborn child.	



# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### **D4 Citri Solv**

Date of compilation: 2018-01-18

Version number: GHS 1.0				
	List of relevant phrases (code and full text as stated in chapter 2 and 3)			

Code	Text		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.