

according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 revision: 2017-04-13 Replaces version of: 2016-04-08 (GHS 1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name D56 Ice Interior Dressing

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses all purpose interior dressing

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive CO 80233 Northglenn United States

Telephone: 1.800.875.6320, 1.303.289.6320

e-mail: info@bbblending.com Website: bbblending.com

Competent person responsible for the safety data

sheet

e-mail (competent person) bblahnik@bbblending.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

Robert Blahnik

This number is only available during the following of-

fice hours: Mon-Fri 09:00 AM - 05:00 PM

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
4.1C	hazardous to the aquatic environment - chronic hazard	Cat. 3	(Aquatic Chronic 3)	H412

# Remarks

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word not required Pictograms not required

**Hazard statements** 

H412 Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 revision: 2017-04-13 Replaces version of: 2016-04-08 (GHS 1)

#### **Precautionary statements**

## **Precautionary statements - prevention**

P273 Avoid release to the environment.

# Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 2.3 Other hazards

There is no additional information.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

# Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC
napthenic oil, severely hydrotreated	CAS No 64741-86-2 EC No 265-088-7	5-<10	Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411
Propan-2-ol	CAS No 67-63-0 EC No 200-661-7	1-<5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

# Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

# Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 Replaces version of: 2016-04-08 (GHS 1)

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

water spray, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products** 

nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

# 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust., kieselgur (diatomite), sand, universal binder).

#### Appropriate containment techniques

Use of adsorbent materials.

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

revision: 2017-04-13



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 revision: 2017-04-13 Replaces version of: 2016-04-08 (GHS 1)

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

• Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe hints for combined storage.

- Control of effects
- · Protect against external exposure, such as

frost

#### 7.3 Specific end use(s)

See section 16 for a general overview.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### National limit values

# Occupational exposure limit values (Workplace Exposure Limits)

Cou	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
GB	propan-2-ol	67-63-0	WEL	400	999	500	1,250	EH40/200 5

#### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average

#### Relevant DNELs/DMELs/PNECs and other threshold levels

#### relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Propan-2-ol	67-63-0	DNEL	888 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
Propan-2-ol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 revision: 2017-04-13 Replaces version of: 2016-04-08 (GHS 1)

#### relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
Propan-2-ol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	2,251 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	160 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	28 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
Propan-2-ol	67-63-0	PNEC	140.9 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

Skin protection

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 revision: 2017-04-13 Replaces version of: 2016-04-08 (GHS 1)

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state liquid Colour cream

Odour floral - herbal

Other physical and chemical parameters

pH (value) not determined Melting point/freezing point not determined

Initial boiling point and boiling range 82.5 °C

Flash point >100 °C at 101.3 kPa

Evaporation rate not determined
Flammability (solid, gas) not relevant (fluid)
non-flammable

Explosive limits not determined

Vapour pressure 31.69 hPa at 25 °C

Density 0.9688 – 0.9786  $^{9}$ /<sub>ml</sub>

Solubility(ies) not determined

Partition coefficient

n-octanol/water (log KOW) this information is not available

Auto-ignition temperature 225 °C

Viscosity not determined

Explosive properties none Oxidising properties none

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 revision: 2017-04-13 Replaces version of: 2016-04-08 (GHS 1)

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Classification according to GHS (1272/2008/EC, CLP)

# **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
napthenic oil, severely hydrotreated	64741-86-2	inhalation: vapour	11 <sup>mg</sup> / <sub>l</sub> /4h
napthenic oil, severely hydrotreated	64741-86-2	inhalation: dust/mist	4.6 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

# Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (acute)

## Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
napthenic oil, severely hydrotreated	64741-86-2	LL50	1.13 <sup>mg</sup> / <sub>l</sub>	fish	96 h
napthenic oil, severely hydrotreated	64741-86-2	EL50	7.385 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	48 h
Propan-2-ol	67-63-0	LC50	10,000 <sup>mg</sup> / <sub>l</sub>	fish	96 h

#### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 Replaces version of: 2016-04-08 (GHS 1)

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
napthenic oil, severely hydrotreated	64741-86-2	LL50	>100 <sup>mg</sup> / <sub>I</sub>	fish	24 h
napthenic oil, severely hydrotreated	64741-86-2	EL50	>1,000 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	24 h
Propan-2-ol	67-63-0	LC50	>10,000 <sup>mg</sup> / <sub>I</sub>	aquatic inverteb- rates	24 h

# **Biodegradation**

The relevant substances of the mixture are readily biodegradable.

## 12.2 Persistence and degradability

# Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
napthenic oil, severely hydrotreated	64741-86-2	oxygen depletion	57.5 %	28 d
Propan-2-ol	67-63-0	oxygen depletion	53 %	5 d

## 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	e CAS No	BCF	Log KOW	BOD5/COD
napthenic oil, severely hydro	otreated 64741-86-2		>4 (25 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

## Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. **Waste treatment of containers/packagings** 

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

revision: 2017-04-13



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 revision: 2017-04-13 Replaces version of: 2016-04-08 (GHS 1)

# **SECTION 14: Transport information**

**14.1** UN number (not subject to transport regulations)

**14.2** UN proper shipping name not relevant

**14.3** Transport hazard class(es)

Class

14.4

Packing group not relevant

**14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous

goods regulations)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 1.151 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 8.638 %

• Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
cationic surfactants	5 % or over but less than 15 %

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Trade name: Ice Dressing	Trade name: D56 Ice Interior Dressing	yes
1.4	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 This number is only available during the following of- fice hours: Mon-Fri 09:00 - 17:00	Emergency information service: USA 1.800.535.5053, INTL 1.352.323.3500 This number is only available during the following of- fice hours: Mon-Fri 09:00 AM - 05:00 PM	yes



# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 Replaces version of: 2016-04-08 (GHS 1) revision: 2017-04-13

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative



according to Regulation (EC) No. 1907/2006 (REACH)

# **D56 Ice Interior Dressing**

Version number: GHS 2.0 Replaces version of: 2016-04-08 (GHS 1)

Abbr.	Descriptions of used abbreviations
WEL	Workplace exposure limit

## Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

revision: 2017-04-13