

according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2)

revision: 2018-11-02

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Registration number (REACH)

D61 Leather Magic
not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses leather and vinyl cleaner / conditioner

Uses advised against do not use for products which come into contact with

the food stuffs

Beth Tirrell

do not use for private purposes (household)

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive CO 80233 Northglenn United States

Telephone: 1.800.875.6320, 1.303.289.6320

e-mail: info@bbblending.com Website: bbblending.com

Competent person responsible for the safety data

sheet

e-mail (competent person) btirrell@bbblending.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
3.4S	skin sensitisation	Cat. 1	(Skin Sens. 1)	H317

#### Remarks

For full text of H-phrases: see SECTION 16.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

**Pictograms** 

GHS07



Warning

#### **Hazard statements**

H317 May cause an allergic skin reaction.

#### **Precautionary statements**

#### Precautionary statements - prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.



according to Regulation (EC) No. 1907/2006 (REACH)

# **D61 Leather Magic**

Version number: GHS 3.0 revision: 2018-11-02 Replaces version of: 2017-11-08 (GHS 2)

#### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

#### Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous ingredients for labelling: CMIT/MIT mixture substance

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/ EC
Water	CAS No 7732-18-5 EC No 231-791-2	75-<90	
polydimethylsiloxane	CAS No 63148-62-9 EC No 613-156-5	10-<25	
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	<1	Eye Dam. 1 / H318
fragrance		<1	
polyacrylic acid homopolymer	CAS No confidential	<1	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Aquatic Chronic 2 / H411
sodium hydroxide	CAS No 1310-73-2 EC No 215-185-5	<1	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318
CMIT/MIT mixture substance	CAS No 55965-84-9 EC No 911-418-6	<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410

Exact percentage of ingredients is withheld as a trade secret. For full text of abbreviations: see SECTION 16.



according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2) revision: 2018-11-02

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.



according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2)

revision: 2018-11-02

#### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Recommendations

· Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

#### Incompatible substances or mixtures

Observe hints for combined storage.

- Control of effects
- Protect against external exposure, such as

frost

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	lden tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sour ce
GB	sodium hydroxide	1310-73- 2	WEL				2				EH40/ 2005

#### Notation

Ceiling-C STEL Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)



according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 revision: 2018-11-02 Replaces version of: 2017-11-08 (GHS 2)

Notation

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs/DMELs/PNECs and other threshold levels

#### relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Alcohols, C9-11 eth- oxylated	68439- 46-3	DNEL	2,080 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
Alcohols, C9-11 eth- oxylated	68439- 46-3	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects
sodium hydroxide	1310-73- 2	DNEL	1 mg/m³	human, inhalatory	worker (in- dustry)	chronic - local effects

#### relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
Alcohols, C9-11 eth- oxylated	68439- 46-3	PNEC	0.1038 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
Alcohols, C9-11 eth- oxylated	68439- 46-3	PNEC	0.1038 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
Alcohols, C9-11 eth- oxylated	68439- 46-3	PNEC	1.4 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treat- ment plant (STP)	short-term (single in- stance)
Alcohols, C9-11 eth- oxylated	68439- 46-3	PNEC	13.7 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediments	short-term (single in- stance)
Alcohols, C9-11 eth- oxylated	68439- 46-3	PNEC	13.7 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediments	short-term (single in- stance)
Alcohols, C9-11 eth- oxylated	68439- 46-3	PNEC	1 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
Alcohols, C9-11 eth- oxylated	68439- 46-3	PNEC	0.014 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release

#### 8.2 Exposure controls

## Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recom-



according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2)

revision: 2018-11-02

mended. Wash hands thoroughly after handling.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state liquid (viscous)

Colour white Odour leather-like

Other physical and chemical parameters

pH (value) 5-6 (25 °C)Melting point/freezing point not determined

Initial boiling point and boiling range 100 °C

Flash point not determined Evaporation rate not determined Flammability (solid, gas) not relevant (fluid) **Explosive limits** not determined 31.69 hPa at 25 °C Vapour pressure  $0.99 - 1.01 \, {}^{9}/_{cm^{3}}$  at 25 °C Density

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW) This information is not available.

Auto-ignition temperature not determined Viscosity not determined

**Explosive properties** none Oxidising properties none

Other information There is no additional information.

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 **Chemical stability**

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### Conditions to avoid 10.4

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks



according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2)

#### Incompatible materials 10.5

oxidisers

#### 10.6 **Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### SECTION 11: Toxicological information

#### Information on toxicological effects 11.1

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP) **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
polyacrylic acid homopolymer	confidential	oral	2,000 <sup>mg</sup> / <sub>kg</sub>
polyacrylic acid homopolymer	confidential	dermal	2,000 <sup>mg</sup> / <sub>kg</sub>
CMIT/MIT mixture substance	55965-84-9	oral	100 <sup>mg</sup> / <sub>kg</sub>
CMIT/MIT mixture substance	55965-84-9	dermal	300 <sup>mg</sup> / <sub>kg</sub>
CMIT/MIT mixture substance	55965-84-9	inhalation: vapour	3 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

#### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

Shall not be classified as hazardous to the aquatic environment.

revision: 2018-11-02



according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 revision: 2018-11-02 Replaces version of: 2017-11-08 (GHS 2)

#### Aquatic toxicity (acute)

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C9-11 ethoxylated	68439-46-3	LC50	7 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Alcohols, C9-11 ethoxylated	68439-46-3	EC50	2.5 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	48 h
polyacrylic acid homopolymer	confidential	EC50	100 <sup>mg</sup> / <sub>l</sub>	algae	48 h
polyacrylic acid homopolymer	confidential	LC50	10 <sup>mg</sup> / <sub>I</sub>	algae	48 h
sodium hydroxide	1310-73-2	EC50	40.4 <sup>mg</sup> / <sub>I</sub>	aquatic inverteb- rates	48 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Alcohols, C9-11 ethoxylated	68439-46-3		3.75	
CMIT/MIT mixture substance	55965-84-9		0.71 – 0.75	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



according to Regulation (EC) No. 1907/2006 (REACH)

## **D61 Leather Magic**

Version number: GHS 3.0 revision: 2018-11-02 Replaces version of: 2017-11-08 (GHS 2)

#### **SECTION 14: Transport information**

**14.1** UN number (not subject to transport regulations)

**14.2** UN proper shipping name not relevant

**14.3** Transport hazard class(es)

Class

14.4

Packing group not relevant

**14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous

goods regulations)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

• International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 0 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 0 %
• Regulation 648/2004/EC on detergents

nogulation :	0 10/200 1/20	on dotorgont
Laballing of a		

Labelling of contents	
Constituents	Weight % content (or range)
non-ionic surfactants	less than 5 %

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2) revision: 2018-11-02

#### **SECTION 16: Other information**

#### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.2		Uses advised against: do not use for products which come into contact with the food stuffs do not use for private purposes (household)	yes
1.3	Competent person responsible for the safety data sheet: Robert Blahnik	Competent person responsible for the safety data sheet: Beth Tirrell	yes
1.3	e-mail (competent person): bblahnik@bbblending.com	e-mail (competent person): btirrell@bbblending.com	yes
2.2	Hazardous ingredients for labelling: CMIT/MIT mixture	Hazardous ingredients for labelling: CMIT/MIT mixture substance	yes
3.2		Description of the mixture: change in the listing (table)	yes
9.1		Other information: There is no additional information.	yes
11.1		Acute toxicity of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
14.7		Information for each of the UN Model Regulations	yes
14.7		Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN):     Not subject to ADR, RID and ADN.	yes
14.7		International Maritime Dangerous Goods Code (IMDG):     Not subject to IMDG.	yes
14.7		International Civil Aviation Organization (ICAO-IATA/DGR):     Not subject to ICAO-IATA.	yes
16.2		Abbreviations and acronyms: change in the listing (table)	yes

#### 16.2 Abbreviations and acronyms

Abbreviations	Abbreviations and acronyms					
Abbr.	Descriptions of used abbreviations					
Acute Tox.	Acute toxicity					
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)					
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)					
Aquatic Acute	Hazardous to the aquatic environment - acute hazard					
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard					
ATE	Acute Toxicity Estimate					
BCF	Bioconcentration factor					



# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2) revision: 2018-11-02

Abbreviations and acronyms		
Abbr.	Descriptions of used abbreviations	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
log KOW	n-Octanol/water	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
Met. Corr.	Substance or mixture corrosive to metals	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
Skin Sens.	Skin sensitisation	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	



according to Regulation (EC) No. 1907/2006 (REACH)

# **D61 Leather Magic**

Version number: GHS 3.0 Replaces version of: 2017-11-08 (GHS 2)

Abbreviations and acronyms	
Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)		
Code	Text	
H290	May be corrosive to metals.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

revision: 2018-11-02