



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **D72 Purple Plus**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses cleaner/degreaser
Uses advised against do not use for squirting or spraying
do not use for products which come into direct contact with the skin

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC
10963 Leroy Drive
CO 80233 Northglenn
United States

Telephone: 1.800.875.6320, 1.303.289.6320
e-mail: info@bbblending.com
Website: bbblending.com

Competent person responsible for the safety data sheet

Robert Blahnik

e-mail (competent person)

bblahnik@bbblending.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.16	substance or mixture corrosive to metals	Cat. 1	(Met. Corr. 1)	H290
3.2	skin corrosion/irritation	Cat. 1B	(Skin Corr. 1B)	H314
3.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318

Remarks

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS05



Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P390 Absorb spillage to prevent material damage.

Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous ingredients for labelling: sodium hydroxide, Alcohols, C9-11 ethoxylated, sodium metasilicate, anhydrous

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC
ethylene glycol monobutyl ether	CAS No 111-76-2 EC No 203-905-0	5 - < 10	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
sodium metasilicate, anhydrous	CAS No 6834-92-0 EC No 229-912-9	1 - < 5	Skin Corr. 1B / H314 STOT SE 3 / H335
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1 - < 5	Eye Dam. 1 / H318



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC
sodium hydroxide	CAS No 1310-73-2 EC No 215-185-5	1 - < 5	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

• Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.

• Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

• Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Incompatible substances or mixtures

Observe hints for combined storage.

• Control of effects

• Protect against external exposure, such as

frost



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Consideration of other advice

• Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Source
EU	2-butoxyethanol	111-76-2	IOELV	20	98	50	246	2000/39/EC
GB	2-butoxyethanol	111-76-2	WEL	25	123	50	246	EH40/2005
GB	sodium hydroxide	1310-73-2	WEL				2	EH40/2005

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	2-butoxyethanol	2-butoxyacetic acid	crea	BMGV	240 mmol/mol	EH40/2005

Notation

crea Creatinine

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ethylene glycol monobutyl ether	111-76-2	DNEL	75 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
ethylene glycol monobutyl ether	111-76-2	DNEL	98 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C9-11 ethoxylated	68439-46-3	DNEL	2,080 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 ethoxylated	68439-46-3	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium hydroxide	1310-73-2	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

• relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
ethylene glycol monobutyl ether	111-76-2	PNEC	8.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
ethylene glycol monobutyl ether	111-76-2	PNEC	0.88 mg/l	aquatic organisms	marine water	short-term (single instance)
ethylene glycol monobutyl ether	111-76-2	PNEC	463 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
ethylene glycol monobutyl ether	111-76-2	PNEC	34.6 mg/kg	benthic organisms	sediments	short-term (single instance)
ethylene glycol monobutyl ether	111-76-2	PNEC	3.13 mg/kg	terrestrial organisms	soil	short-term (single instance)
ethylene glycol monobutyl ether	111-76-2	PNEC	9.1 mg/l	aquatic organisms	water	intermittent release
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.1038 mg/l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.1038 mg/l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	1.4 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	13.7 mg/kg	benthic organisms	sediments	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	13.7 mg/kg	pelagic organisms	sediments	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C9-11 ethoxylated	68439-46-3	PNEC	0.014 mg/l	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	purple
Odour	citrus

Other physical and chemical parameters

pH (value)	13.4 - 13.5 (25 °C) (base)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 1,013 hPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid) non-flammable
Explosive limits	not determined
Vapour pressure	31.69 hPa at 25 °C
Density	1.06 g/cm ³
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	230 °C
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". substance or mixture corrosive to metals

10.2 Chemical stability

See below "Conditions to avoid".



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with

light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

• Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
ethylene glycol monobutyl ether	111-76-2	oral	1,746 mg/kg
ethylene glycol monobutyl ether	111-76-2	dermal	1,100 mg/kg
ethylene glycol monobutyl ether	111-76-2	inhalation: vapour	11 mg/l/4h
sodium metasilicate, anhydrous	6834-92-0	oral	1,280 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethylene glycol monobutyl ether	111-76-2	LC50	1,474 mg/l	fish	96 h
ethylene glycol monobutyl ether	111-76-2	EC50	1,550 mg/l	aquatic invertebrates	48 h
ethylene glycol monobutyl ether	111-76-2	ErC50	1,840 mg/l	algae	72 h
Alcohols, C9-11 ethoxylated	68439-46-3	LC50	7 mg/l	fish	96 h
Alcohols, C9-11 ethoxylated	68439-46-3	EC50	2.5 mg/l	aquatic invertebrates	48 h
sodium hydroxide	1310-73-2	EC50	40.4 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethylene glycol monobutyl ether	111-76-2	EC50	297 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
ethylene glycol monobutyl ether	111-76-2	carbon dioxide generation	18.3 %	3 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
ethylene glycol monobutyl ether	111-76-2		0.81 (pH value: 7, 25 °C)	
Alcohols, C9-11 ethoxylated	68439-46-3		3.75	



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.


SECTION 14: Transport information

14.1	UN number	3266
14.2	UN proper shipping name Hazardous ingredients	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. Sodium metasilicate, anhydrous, Sodium hydroxide
14.3	Transport hazard class(es) Class	8 (corrosive substances)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	3266
Proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Class	8
Classification code	C5
Packing group	III
Danger label(s)	8




Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X
• International Maritime Dangerous Goods Code (IMDG)	
UN number	3266
Proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Class	8
Packing group	III
Danger label(s)	8



Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	18 - Alkalis

• International Civil Aviation Organization (ICAO-IATA/DGR)	
UN number	3266
Proper shipping name	Corrosive liquid, basic, inorganic, n.o.s.
Class	8
Packing group	III
Danger label(s)	8



Special provisions (SP)	A3, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

- Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 6.662 %



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

• **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 6.662 %

• **Regulation 648/2004/EC on detergents**

Labelling of contents	
Constituents	Weight % content (or range)
cationic surfactants non-ionic surfactants	less than 5 %

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: sodium metasilicate, anhydrous	Hazardous ingredients for labelling: sodium hydroxide, Alcohols, C9-11 ethoxylated, sodium metasilicate, anhydrous	yes
4.1	Following skin contact: Brush off loose particles from skin. - Rinse skin with water/shower.	Following skin contact: Wash with plenty of soap and water.	yes
5.1	Suitable extinguishing media: water, foam, alcohol resistant foam, ABC-powder	Suitable extinguishing media: water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO ₂)	yes
5.2	Special hazards arising from the substance or mixture: Deposited combustible dust has considerable explosion potential. Substance or mixture corrosive to metals.	Special hazards arising from the substance or mixture: Substance or mixture corrosive to metals.	yes
6.3	Advices on how to contain a spill: Covering of drains. - Take up mechanically.	Advices on how to contain a spill: Covering of drains.	yes
6.3	Advices on how to clean up a spill: Take up mechanically.	Advices on how to clean up a spill: Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust. , kieselgur (diatomite), sand, universal binder).	yes
6.3		Appropriate containment techniques: Use of adsorbent materials.	yes
7.1	• Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Never add water to this product. Ground/bond container and receiving equipment.	• Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.	yes
7.1	• Warning: Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes
7.2	• Explosive atmospheres: Removal of dust deposits.		yes



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
7.2	• Ventilation requirements: Use local and general ventilation.		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.2	• hand protection: Wear protective gloves.	• hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.	yes
8.2	Respiratory protection: Particulate filter device (EN 143).	Respiratory protection: In case of inadequate ventilation wear respiratory protection.	yes
9.1	Physical state: solid	Physical state: liquid	yes
9.1	Flammability (solid, gas): This material is combustible, but will not ignite readily non-flammable	Flammability (solid, gas): not relevant (fluid) non-flammable	yes
9.1		Explosive limits: not determined	yes
9.1	Explosion limits of dust clouds: not determined		yes
9.1	Viscosity: not relevant (solid matter)	Viscosity: not determined	yes
10.4	Hints to prevent fire or explosion: The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes
14.1	UN number: 1760	UN number: 3266	yes
14.2	UN proper shipping name: CORROSIVE LIQUID, N.O.S.	UN proper shipping name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	yes
14.2		Hazardous ingredients: Sodium metasilicate, anhydrous, Sodium hydroxide	yes
14.4	Packing group: II (substance presenting medium danger)	Packing group: III (substance presenting low danger)	yes
14.7	UN number: 1760	UN number: 3266	yes
14.7	Proper shipping name: CORROSIVE LIQUID, N.O.S.	Proper shipping name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	yes
14.7	Classification code: C9	Classification code: C5	yes
14.7	Packing group: II	Packing group: III	yes
14.7	Excepted quantities (EQ): E2	Excepted quantities (EQ): E1	yes
14.7	Limited quantities (LQ): 1 L	Limited quantities (LQ): 5 L	yes



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Transport category (TC): 2	Transport category (TC): 3	yes
14.7	UN number: 1760	UN number: 3266	yes
14.7	Proper shipping name: CORROSIVE LIQUID, N.O.S.	Proper shipping name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	yes
14.7	Packing group: II	Packing group: III	yes
14.7	Special provisions (SP): 274	Special provisions (SP): 223, 274	yes
14.7	Excepted quantities (EQ): E2	Excepted quantities (EQ): E1	yes
14.7	Limited quantities (LQ): 1 L	Limited quantities (LQ): 5 L	yes
14.7	Stowage category: B	Stowage category: A	yes
14.7		Segregation group: 18 - Alkalis	yes
14.7	UN number: 1760	UN number: 3266	yes
14.7	Proper shipping name: Corrosive liquid, n.o.s.	Proper shipping name: Corrosive liquid, basic, inorganic, n.o.s.	yes
14.7	Packing group: II	Packing group: III	yes
14.7	Excepted quantities (EQ): E2	Excepted quantities (EQ): E1	yes
14.7	Limited quantities (LQ): 0,5 L	Limited quantities (LQ): 1 L	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
IOELV	indicative occupational exposure limit value
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

D72 Purple Plus

Version number: GHS 4.0
Replaces version of: 2016-09-28 (GHS 3)

revision: 2016-11-01

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	may be corrosive to metals
H302	harmful if swallowed
H312	harmful in contact with skin
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H318	causes serious eye damage
H319	causes serious eye irritation
H332	harmful if inhaled
H335	may cause respiratory irritation

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.